



Congress of the United States
House of Representatives
Washington, DC 20515

ICE AURORA CONTRACT DETENTION CENTER ACCOUNTABILITY REPORT ELECTRONIC REQUEST

Date: 19 May 2021
DAY MONTH YEAR

Requested by: Kevin Vargas, Constituent Liaison
NAME POSITION

Transmitted by: ICE Denver Field Office Executive Review Unit
NAME POSITION

Were electronic files sent?

YES ☒

NO ☐

How many people are currently being cohorted/quarantined due to sickness?

Number of people currently cohorted/quarantined due to sickness:

31

FORMAL COUNTS: 2.8 V. A.

How many people were most recently formally counted in this facility?

Number of people most recently formally counted in the facility:

578

How many people formally counted in this facility describe themselves as the following gender?

Female:

Male:

Nonbinary:

Prefer not to say:



How many people formally counted in this facility describe themselves as transgender?

Number of people that describe themselves as transgender:

How many people have been brought into the facility this week?

Number of people brought into the facility this week:

How many people have left the facility this week?

Number of people who left the facility this week:

How many people and where did those who left the facility go?

Released into community:

Formally removed from the United States:

Moved to other facility:

Other _____:

How many people are currently being housed in the Annex?

Number of people who are being housed in the Annex:

Female:

Male:

COVID-19 CONFIRMED CASES*:

	This week :	Total to date since March 30, 2020:
Positive Tests in GEO Facility:	<input type="text" value="34"/>	<input type="text" value="527"/>
ICE Detainees under COVID monitoring:	<input type="text" value="17"/>	<input type="text" value="349"/>
ICE Employees:	<input type="text" value="0"/>	<input type="text" value="2"/>
GEO Employees:	<input type="text" value="0"/>	<input type="text" value="128"/>

DOCUMENTS RECEIVED:

*See Supplemental Notes

Daily Kitchen Opening and Closing Checklists

RECEIVED ☒

NOT RECEIVED ☐

Daily Foods Production Service Records

RECEIVED ☒

NOT RECEIVED ☐

Temperature Logs

RECEIVED ☒

NOT RECEIVED ☐

Law and Leisure Library Logs

RECEIVED ☒

NOT RECEIVED ☐

Medical Staffing Update

RECEIVED ☒

NOT RECEIVED ☐

*All reports concerning infectious disease are confirmed with the Tri-County Health Department and/or the Aurora Fire Department

SUPPLEMENTAL NOTES:

Request for information made on May 17, 2021. All population numbers current as of May 20, 2021.

KITCHEN DOCUMENTS:

Opening/Closing Checklists and Menu provided, see attached documents.

MEDICAL:

Johnny Choate, Facility Administrator, provided the following weekly update on medical staffing which is current as of May 20, 2021:

- 1- Health Services Administrator
- 1- Medical Doctor
- 2- PAs
- *14 - RNs
- *8 - LPNs
- 2- Psychologist
- 1- Licensed Clinical Social Worker
- *4- Medical Records Clerks
- 1- X-ray Technician
- 4- Telepsychiatrists
- 2- Dentists (part-time; 40 hours/week total)
- 1- Dental Assistant

*Change in staffing

TEMPERATURE CHECKS:

Logs provided; see attached documents.

LAW LIBRARY:

Logs provided for May 10, 2021- May 14, 2021 but not attached as they contain personally identifiable information. Logs record law library usage by dorm, which ranged from one to three detainees visiting the law library at each provided opportunity. Logs indicate that dorms that did not use the library were either new intake dorms, on restriction, or detainees were offered time in the library and refused.

COVID-19 UPDATES:

Aurora Fire Rescue received an update from the GEO Facility Administrator related to COVID-19. They informed us that they have zero (0) positive case this week, GEO staff and ICE staff. They have also reported 19 positive cases this week amongst the ICE detainees, and 15 cases amongst USMS detainees.

Official COVID-19 statistics for ICE facilities is provided via ICE.gov. The numbers in this report are accurate as of May 21, 2021

Statistics for Total Individuals Housed in GEO Facility and GEO Staff verified via the Aurora Fire Department and is current as of May 21, 2021

Congressman Crow's office confirms with TCHD and AFD about new COVID-19 positive cases.

ADULT CYCLE MENUS

These menus are proprietary and intended solely for the use of GEO Group Facilities.
Dissemination, forwarding or copying of these menus are strictly prohibited.

MENU DATE: 5/15/2020

CYCLE 3 WEEK-AT-A-GLANCE

	BREAKFAST	LUNCH	DINNER
MONDAY	Cinnamon Oatmeal Turkey Ham Pancakes Syrup Margarine Sugar Coffee Milk 2 %	Sloppy Joe on Bun Potato Salad Carrots Lettuce & Tomato Salad Dressing Onion Spice Cake w/ Icing Fortified Sugar Free Tea	Polish Sausage Rice Grilled Cabbage Beans Roll Margarine Fortified Sugar Free Beverage
TUESDAY	Dry Cereal T-Sausage Gravy Diced Potatoes Fruit Biscuit / Margarine Sugar Coffee Milk 2 %	Taco Meat Spanish Rice Beans Salsa Shredded Lettuce Shredded Cheese Tortillas Fortified Sugar Free Tea	Chicken Patty Whipped Potatoes Gravy Peas & Carrots Bread Margarine Fruit Cobbler Fortified Sugar Free Beverage
WEDNESDAY	Oatmeal Turkey Sausage Pancakes Syrup Margarine Sugar Coffee Milk 2 %	Chopped BBQ Chicken Pinto Beans Potato Salad Cole Slaw Margarine Bun Yellow Cake / Choc Icing Fortified Sugar Free Tea	Fideo w/ Meat Sauce Green Beans w/ Onions Shredded Lettuce Dressing Garlic Bread Fruit Margarine Fortified Sugar Free Beverage
THURSDAY	Cream of Rice Turkey Sausage Coffee Cake Sugar Coffee Milk 2 % Margarine Fresh Fruit	Enchilada Casserole Spanish Rice Pinto Beans Salsa Salad/Dressing Cornbread Margarine Baked Apple Crisp Fortified Sugar Free Tea	Fajita Meat Grilled Onions & Peppers Refried Beans Grilled Potatoes Salsa Margarine Tortilla Fortified Sugar Free Beverage
FRIDAY	Dry Cereal Creamed Meat Gravy Fried Potatoes Biscuit Margarine Sugar Coffee Milk 2 %	Tuna Salad Grilled Potatoes Green Beans Cole Slaw Ketchup Bread / Margarine Brownie Fortified Sugar Free Tea	Chili Mac Pinto Beans Corn Salad Garden Salad / Dressing Roll Margarine Fortified Sugar Free Beverage
SATURDAY	Oatmeal Scrambled Eggs Turkey Sausage Gravy Biscuit Margarine Sugar Coffee Milk 2 %	Turkey, Sliced Vegetarian Beans Corn Salad Mustard Mayo Bread Margarine Cake w/ Icing Fortified Sugar Free Tea	Meatballs Mixed Vegetables Rice Lettuce Salad Dressing Ketchup Roll Margarine Fortified Sugar Free Beverage
SUNDAY	Dry Cereal Scrambled Eggs w/ T-Ham Salsa Cinnamon Roll Tortilla Sugar Coffee Milk 2 %	Chicken Salad Potato Salad Carrot & Celery Sticks Green Beans Shredded Lettuce Onion Bread Fortified Sugar Free Tea	Salisbury Steak w/ Gravy Rice Carrots Beans Tortillas Strawberry Cake Fortified Sugar Free Beverage

SUBSTITUTIONS OF EQUAL VALUE MAY BE MADE AS NEEDED BY THE FOOD SERVICE MANAGER

Signature on file / 811291
Corporate Manager Food Service Menu Systems/Dietitian





FOOD SERVICE
UNIT: 195- AURORA KITCHEN

OPENING and CLOSING CHECKLIST

Date: 5-16-2021

Time: 0400 AM **Time:** 1636 PM

Shift Checklist	AM		PM		Comments
	No	Yes	No	Yes	
All areas secure, no evidence of theft					
Workers reported to work, no open sores					
no skin infections	N/A	A	N/A	A	
no diarrhea					
Kitchen is in good general appearance		✓		✓	
All kitchen equipment operational & clean		✓		✓	
All tools and sharps inventoried		✓		✓	
All areas secure, lights out, exits locked				✓	
DISH MACHINE	Temperature		Wash 150+	Rinse 180+	
Temperature according to manufacturer's specifications	Breakfast		150	180	
and chemical agent used in Final Rinse	Lunch		135	186	
	Dinner		155	185	
POT and PAN SINK	Temperature		Wash 110 °F+	Rinse 110 °F+	200 ppm
Final Rinse Temps determined by chemical agent used	Breakfast		110	112	200ppm
	Lunch		112	115	200ppm
	Dinner		112	115	200ppm
FREEZER and WALK-IN	Temperature		Freezer 0°F or below	Walk-in 35-40 °F	Walk-in 2 35-40 °F
Record temperatures, Freezer and Walk-ins	AM		-10.3	37.3	36.4
Record temperatures, Freezer and Walk-ins	PM		-6.2	38.3	38.4
DRY STORAGE	Temperature 45-80 °F		Spice Room	Store Rm	
Record temperatures Dry Storage Areas	AM		68	68	
Record temperatures, Dry Storage Areas	PM		68	68	
Water Temps & Handwash Areas	AM	PM			
	105-120 °F	105-120 °F			
	110	120			

Signature, Cook Supervisor (AM)

DATE

Signature, Cook Supervisor (PM)

FOOD SERVICE MANAGER

DATE



FOOD SERVICE
UNIT: 195- AURORA KITCHEN

OPENING and CLOSING CHECKLIST

Date: 5-15-2021

Time: 0400 AM **Time:** 1200 PM

Shift Checklist	AM		PM		Comments
	No	Yes	No	Yes	
All areas secure, no evidence of theft					
Workers reported to work, no open sores	N	A	N	A	
no skin infections					
no diarrhea					
Kitchen is in good general appearance		✓		✓	
All kitchen equipment operational & clean		✓		✓	
All tools and sharps inventoried		✓		✓	
All areas secure, lights out, exits locked				✓	
DISH MACHINE	Temperature		Wash 150+		Rinse 180+
Temperature according to manufacturer's specifications	Breakfast		150		180
and chemical agent used in Final Rinse:	Lunch		155		180
	Dinner		155		185
POT and PAN SINK	Temperature		Wash 110 °F+		Rinse 110 °F+
Final Rinse Temps determined by chemical agent used	Breakfast		110		112
	Lunch		112		115
	Dinner		110		115
FREEZER and WALK-IN	Temperature		Freezer 0°F or below		Walk-in 35-40 °F
Record temperatures, Freezer and Walk-ins	AM		-10.5		36.4
Record temperatures, Freezer and Walk-ins	PM		-9.3		37.5
DRY STORAGE	Temperature 45-80 °F		Spice Room		Store Rm
Record temperatures Dry Storage Areas	AM		68		68
Record temperatures, Dry Storage Areas	PM		68		68
Water Temps & Handwash Areas	AM		PM		
	105-120 °F		105-120 °F		
	112		120		

Signature, Cook Supervisor (AM)

DATE

05-15-21

Signature, Cook Supervisor (PM)

FOOD SERVICE MANAGER

DATE

5-17-2021



FOOD SERVICE
UNIT: 195- AURORA KITCHEN

OPENING and CLOSING CHECKLIST

Date: 5-14-21

Time: 0400 AM Time: 1630 PM

Shift Checklist	AM		PM		Comments
	No	Yes	No	Yes	
All areas secure, no evidence of theft					
Workers reported to work, no open sores					
no skin infections					
no diarrhea					
Kitchen is in good general appearance		✓		✓	
All kitchen equipment operational & clean		✓		✓	
All tools and sharps inventoried		✓		✓	
All areas secure, lights out, exits locked				✓	
DISH MACHINE	Temperature		Wash 150+	Rinse 180+	
Temperature according to manufacturer's specifications	Breakfast		151	180	
and chemical agent used in Final Rinse	Lunch		152	184	
	Dinner		150	185	
POT and PAN SINK	Temperature		Wash 110 °F+	Rinse 110 °F+	200 ppm
Final Rinse Temps determined by chemical agent used	Breakfast		112	111	200ppm
	Lunch		120	125	200ppm
	Dinner		111	112	200ppm
FREEZER and WALK-IN	Temperature		Freezer 0°F or below	Walk-in 35-40 °F	Walk-in 2 35-40 °F
Record temperatures, Freezer and Walk-ins	AM		-10.6	36.4	36.3
Record temperatures, Freezer and Walk-ins	PM		-7.5	38.3	37.4
DRY STORAGE	Temperature 45-80 °F		Spice Room	Store Rm	
Record temperatures Dry Storage Areas	AM		68	68	
Record temperatures, Dry Storage Areas	PM		68	68	
Water Temps & Handwash Areas	AM 105-120 °F	PM 105-120 °F			
	110	120			

Signature, Cook Supervisor (AM)

DATE

05-14-21

Signature, Cook Supervisor (PM)

FOOD SERVICE MANAGER

DATE

5-17-2021



FOOD SERVICE
UNIT: 195- AURORA KITCHEN

OPENING and CLOSING CHECKLIST

Date: 5/13/2021

Time: 0230 AM Time: 1800 PM

Shift Checklist	AM		PM		Comments
	No	Yes	No	Yes	
All areas secure, no evidence of theft					
Workers reported to work, no open sores					
no skin infections					
no diarrhea					
Kitchen is in good general appearance		X		Y	
All kitchen equipment operational & clean		X		Y	
All tools and sharps inventoried		X		Y	
All areas secure, lights out, exits locked				Y	
DISH MACHINE	Temperature		Wash 150+	Rinse 180+	
Temperature according to manufacturer's specifications	Breakfast		156	182	
and chemical agent used in Final Rinse	Lunch		154	181	
	Dinner		156	181	
POT and PAN SINK	Temperature		Wash 110 °F+	Rinse 110 °F+	200 ppm
Final Rinse Temps determined by chemical agent used	Breakfast		112	112	200 ppm
	Lunch		114	115	200 ppm
	Dinner		114	115	200 ppm
FREEZER and WALK-IN	Temperature		Freezer 0°F or below	Walk-in 35-40 °F	Walk-in 2 35-40 °F
Record temperatures, Freezer and Walk-ins	AM		-7.8	36.9	38.2
Record temperatures, Freezer and Walk-ins	PM		-8.4	38.6	38.5
DRY STORAGE	Temperature 45-80 °F		Spice Room	Store Rm	
Record temperatures Dry Storage Areas	AM		66	67	
Record temperatures, Dry Storage Areas	PM		68	68	
Water Temps & Handwash Areas	AM	PM			
	105-120 °F	105-120 °F			
	110	111			

2 Han 5/13/2021
Signature, Cook Supervisor (AM) DATE

BA
Signature, Cook Supervisor (PM)

SHH 5.14.2021
FOOD SERVICE MANAGER DATE



FOOD SERVICE
UNIT: 195- AURORA KITCHEN

OPENING and CLOSING CHECKLIST

Date: 05.12.21

Time: 0300 AM Time: 1700 PM

Shift Checklist	AM		PM		Comments
	No	Yes	No	Yes	
All areas secure, no evidence of theft					
Workers reported to work, no open sores					
no skin infections	N/A	A	N/A	A	
no diarrhea					
Kitchen is in good general appearance		X		Y	
All kitchen equipment operational & clean		X		Y	
All tools and sharps inventoried		X		Y	
All areas secure, lights out, exits locked				Y	
DISH MACHINE	Temperature		Wash 150+	Rinse 180+	
Temperature according to manufacturer's specifications	Breakfast		150	181	
and chemical agent used in Final Rinse	Lunch		154	181	
	Dinner		154	185	
POT and PAN SINK	Temperature		Wash 110 °F+	Rinse 110 °F+	200 ppm
Final Rinse Temps determined by chemical agent used	Breakfast		110	110	200
	Lunch		113	114	200ppm
	Dinner		113	114	200ppm
FREEZER and WALK-IN	Temperature		Freezer 0°F or below	Walk-in 35-40 °F	Walk-in 2 35-40 °F
Record temperatures, Freezer and Walk-ins	AM		-7.4	37.8	38.2
Record temperatures, Freezer and Walk-ins	PM		-6.3	38.6	38.1
DRY STORAGE	Temperature 45-80 °F		Spice Room	Store Rm	
Record temperatures Dry Storage Areas	AM		68	68	
Record temperatures, Dry Storage Areas	PM		68	68	
Water Temps & Handwash Areas	AM 105-120 °F	PM 105-120 °F			
	120	120			

Signature, Cook Supervisor (AM)

05.12.21
DATE

Signature, Cook Supervisor (PM)

FOOD SERVICE MANAGER

DATE

5.13.2021



FOOD SERVICE
UNIT: 195- AURORA KITCHEN

OPENING and CLOSING CHECKLIST

Date: 5/11/2021

Time: 0330 AM Time: 1745 PM

Shift Checklist	AM		PM		Comments
	No	Yes	No	Yes	
All areas secure, no evidence of theft	<div style="text-align: center; font-size: 2em;">X</div>				
Workers reported to work, no open sores					
no skin infections					
no diarrhea					
Kitchen is in good general appearance		X		X	
All kitchen equipment operational & clean		X		X	
All tools and sharps inventoried		X		X	
All areas secure, lights out, exits locked				X	
DISH MACHINE	Temperature		Wash 150+	Rinse 180+	
Temperature according to manufacturer's specifications	Breakfast		157.4	186.4	200ppm
and chemical agent used in Final Rinse	Lunch		150	181	
	Dinner		155	164	
POT and PAN SINK	Temperature		Wash 110 °F+	Rinse 110 °F+	200 ppm
Final Rinse Temps determined by chemical agent used	Breakfast		113	112	200ppm
	Lunch		110	110	200ppm
	Dinner		114	111	200ppm
FREEZER and WALK-IN	Temperature		Freezer 0°F or below	Walk-in 35-40 °F	Walk-in 2 35-40 °F
Record temperatures, Freezer and Walk-ins	AM		-7.9	39.4	38.7
Record temperatures, Freezer and Walk-ins	PM		-7.7	38.1	38.5
DRY STORAGE	Temperature 45-80 °F		Spice Room	Store Rm	
Record temperatures Dry Storage Areas	AM		66	66	
Record temperatures, Dry Storage Areas	PM		65	64	
Water Temps & Handwash Areas	AM 105-120 °F	PM 105-120 °F			
	110	110			

Signature, Cook Supervisor (AM)

5/11/2021
DATE

Signature, Cook Supervisor (PM)

FOOD SERVICE MANAGER

DATE



FOOD SERVICE
UNIT: 195- AURORA KITCHEN

OPENING and CLOSING CHECKLIST

Date: 5-10-2021

Time: 0400 AM Time: 1400 PM

Shift Checklist	AM		PM		Comments
	No	Yes	No	Yes	
All areas secure, no evidence of theft					
Workers reported to work, no open sores	N	A	N	A	
no skin infections					
no diarrhea					
Kitchen is in good general appearance		L	D	X	
All kitchen equipment operational & clean		L		X	
All tools and sharps inventoried		L		X	
All areas secure, lights out, exits locked				X	
DISH MACHINE	Temperature		Wash 150+	Rinse 180+	
Temperature according to manufacturer's specifications	Breakfast		150	180	
and chemical agent used in Final Rinse	Lunch		153	181	
	Dinner		154	184	
POT and PAN SINK	Temperature		Wash 110 °F+	Rinse 110 °F+	200 ppm
Final Rinse Temps determined by chemical agent used	Breakfast		110	112	200ppm
	Lunch		114	116	200ppm
	Dinner		110	110	200ppm
FREEZER and WALK-IN	Temperature		Freezer 0°F or below	Walk-in 35-40 °F	Walk-in 2 35-40 °F
Record temperatures, Freezer and Walk-ins	AM		-10.5	37.4	37.3
Record temperatures, Freezer and Walk-ins	PM		-6.4	39.0	37.9
DRY STORAGE	Temperature 45-80 °F		Spice Room	Store Rm	
Record temperatures Dry Storage Areas	AM		68	68	
Record temperatures, Dry Storage Areas	PM		65	64	
Water Temps & Handwash Areas	AM	PM			
	105-120 °F	105-120 °F			
	110	120			

Signature, Cook Supervisor (AM)

DATE

05/10/21

Signature, Cook Supervisor (PM)

FOOD SERVICE MANAGER

DATE

5-11-2021

GEO Aurora ICE
3130 N. Oakland St

5/17/2021
7:02:55 AM BCL

Temperature
°F

A-1	71.60
A-2	72.22
A-3	70.31
A-4	71.71
B-1	71.21
B-2	73.51
B-3	71.71
B-4	71.71
C-1	72.50
C-2	71.41
C-3	70.00
C-4	71.71
E-1	73.01
E-2	72.02
D-1	72.22
ISOLATION	71.21
PATIENT ROOM	70.90
INTAKE/RECEIVING	71.60



Monday, May 17, 2021 North Building Temperature Log

195 Aurora Detention Center
3130 Oakland St.
Aurora, CO 80010

Date	Unit	Dayroom	Shower #1	Shower #2	Shower #3	Shower #4	Shower #5	Shower #6	Shower #7
5-17-21	A-1		107.4						
	A-2		107.4						
	A-3		107.4						
	A-4		107.4						
	B-1		107.7						
	B-2		107.7						
	B-3		107.6						
	B-4		107.7						
	C-1		108.0						
	C-2		108.0						
	C-3		108.1						
	C-4		108.1						
	D-1		107.3				N/A	N/A	N/A
	D-2						N/A	N/A	N/A
	E-1		107.3				N/A	N/A	N/A
	E-2		107.2						
	MED								
	Phy Therapy	N/A		N/A	N/A	N/A	N/A	N/A	N/A
	Intake	N/A			N/A	N/A	N/A	N/A	N/A

PRINT: Sean Hyndson

SIGN: [Signature]

Write Legibly

Medical Showers Temperature Log

Name: _____ Date: _____

ROOM

542	540	538	536	534	523	522

Tub Room



Temperature Log South Building

195 Aurora Detention Center
11901 East 30th Street
Aurora, CO 80010

Date: Monday, May 17, 2021

	Unit	AIR	WATER/sink	Shower #1	Shower #2
5-17-21	South-A	72.7	104.0		
	South-B	72.1	104.0		
	South-C	73.3	104.1		
	South-D	73.9	104.2		
	South-E	74.1	104.2		
	South-F	73.7	104.1		
	South-G	73.5	104.2		
	South-L	72.7	104.2		
	South-M	72.9	104.2		
	South-N	72.9	104.0		
	South-X	70.9	104.1		
	South-Y	72.6	104.1		
	South-Z	unoccupied			
	South SMU	70.6	104.9		
	South SM - Shower 3				
	MED ISO- Room 1	N/A		N/A	N/A
	MED ISO- Room 2	N/A		N/A	N/A
	MED ISO- Room 3	N/A		N/A	N/A
	MEDICAL				

PRINT: Sean Hansen SIGN:

Write Legibly

Temperature is taken with a Fluke Mod 52 Digital Thermometer